

**IN THE CLAIMS**

The following is a complete listing of the claims showing the status of each claim and showing those that are currently amended.

Please cancel claims 2 and 9.

1. (Currently Amended) A method for producing multifaceted graphitic nanotubes, which process comprises:

i) reacting a mixture of CH<sub>4</sub> and O<sub>2</sub> in the presence of a catalyst system comprised of a mixture of at least one Group VIII metal oxide and at least one

Group II metal oxide at effective temperatures to produce a mixture of CO and H<sub>2</sub>; and

ii) reacting at least a portion of the mixture of CO and H<sub>2</sub> in the presence of a catalyst system comprised of a mixture of a Group VIII metal component selected from Co and Ni and Group II metal oxide at effective temperatures to grow multifaceted graphitic nanotubes therefrom.

2. (Canceled)

3. (Currently Amended) The method of claim [2] 1 wherein the Group VIII metal is Co.

4. (Original) The method of claim 1 wherein the mixture of CH<sub>4</sub> and O<sub>2</sub> is reacted at a temperature from about 350°C to about 1000 °C.

5. (Original) The method of claim 4 wherein the mixture of CH<sub>4</sub> and O<sub>2</sub> is reacted at a temperature from about 450°C to about 1000°C.

6. (Original) The method of claim 1 wherein the temperature at which the graphitic nanotubes are grown is from about 550°C to about 700°C.

7. (Original) The method of claim 6 wherein the temperature at which the graphitic nanotubes are grown is from about 600°C to about 700°C.

8. (Currently Amended) A method for producing multifaceted graphitic nanotubes, which process comprises:

reacting at least a portion of mixture of CO and H<sub>2</sub> in the presence of a catalyst system comprised of a mixture of a Group VIII metal selected from Co and Ni and MgO at effective temperatures to grow multifaceted graphitic nanofibers therefrom.

9. (Canceled)

10. (Currently Amended) The method of claim [9wherein] 8 wherein the Group VIII metal is Co.

11. (Currently Amended) The method of claim [8wherein] 1 wherein the mixture of CH<sub>4</sub> and O<sub>2</sub> is reacted at a temperature from about 350°C to about 1000 °C.

12. (Currently Amended) The method of claim [11] 1 wherein the mixture of CH<sub>4</sub> and O<sub>2</sub> is reacted at a temperature from about 450°C to about 1000°C.

13. (Original) The method of claim 8 wherein the temperature at which the graphitic nanotubes are grown is from about 550°C to about 670°C.

14. (Original) The method of claim 13 wherein the temperature at which the graphitic nanotubes are grown is from about 600°C to about 650°C.